



FASTENERS	
1	#10 (X NOTED LENGTH) PFH S.S. TEK 3
2	1/4-14 (X NOTED LENGTH) HWH S.S. W/ A/B PT.
3	#10 (X NOTED LENGTH) PFH S.S. TEK 5
4	#10 (X NOTED LENGTH) HWH S.S. W/ A/B PT.
5	#8-32 (X NOTED LENGTH) PFH S.S. SMS W/ A/B PT.
6	#12 (X NOTED LENGTH) PFH S.S. SMS W/ A/B PT.
7	#12 (X NOTED LENGTH) PFH S.S. SMS TEK 3
8	1/4-14 (X NOTED LENGTH) HWH S.S. SMS TEK 3
9	3/8-16 (X NOTED LENGTH) S.S. HEX HEAD MB W/ NUT, FLAT WASHER, & LOCK WASHER
10	3/8-16 (X NOTED LENGTH) S.S. SOCKET HEAD SET SCREW
11	3/8-16 (X NOTED LENGTH) S.S. HEX HEAD MB
12	1/2-13 X 1 1/2\" S.S. HEX HEAD MB W/ FLAT WASHER
13	#10 (X NOTED LENGTH) PFH S.S. SMS W/ A/B PT.
14	1/4-14 (X NOTED LENGTH) HWH S.S. SMS TEK 5
15	#10 (X NOTED LENGTH) PFH S.S. SMS W/ A/B PT.
16	#12 (X NOTED LENGTH) PFH S.S. SMS W/ A/B PT.
17	#12 (X NOTED LENGTH) PFH S.S. SMS W/ B PT.
18	1/4\" WEDGE ANCHOR
19	#10-16 X 1 1/4\" L6. BUGLE HEAD S.S. SMS W/ A/B PT.
20	#8-32 (X NOTED LENGTH) PFH S.S. W/ A/B PT.

GASKETS & ACCESSORIES	
A	3\" ROXUL CAVITY ROCK INSULATION
B	AIR-BLOC 32
C	5/8\" DENG-GLASS (SHOP APPLIED TO STUD UNIT)
D	SPRAY IN FOAM INSULATION
E	N/A
F	TREMCO EXOAIR SYSTEM (FIELD APPLIED)
G	02T-050 WEATHERING GASKET
H	02T-051 WEDGE GASKET
J	5/8\" Ø BACKER ROD
K	3/8\" Ø BACKER ROD
L	272-PVCI PVC POCKET FILLER (GRAY)
M	BOND BREAKER TAPE
N	272-601 BULB GASKET
P	02T-853 1\" SETTING BLOCK
Q	02T-854 1/4\" SETTING BLOCK
R	02T-405 1\" SETTING BLOCK
S	HIGH IMPACT DEADLOAD SHIMS
T	3\" RIDGED INSULATION
U	02T-475 556 GASKET
V	PVC ISOLATOR
W	02T-861 GLASSVENT GASKET
X	NORTON TAPE

1 TYPICAL STONE MULLION
D6 SCALE: FULL REF: N/A

1A TYPICAL STONE MULLION - STRUCTURAL STONE
D6 SCALE: FULL REF: N/A

2 TYPICAL VERTICAL STONE JOINT
D6 SCALE: FULL REF: N/A

2A TYPICAL VERTICAL STONE JOINT - STRUCTURAL STONE
D6 SCALE: FULL REF: N/A

3 OUTSIDE CORNER @ STONE
D6 SCALE: FULL REF: N/A

3A OUTSIDE CORNER - STRUCTURAL STONE
D6 SCALE: FULL REF: N/A



7150 WINTON DRIVE
SUITE 100
INDIANAPOLIS, IN 46268
PHONE (317) 290-0260
FAX (317) 290-0270
WWW.ASILIMITED.COM

PROJECT NAME RESIDENCE HALLS THE UNIVERSITY OF CHICAGO	LOCATION CHICAGO, IL
DESIGN ARCHITECT GOODY CLANCY	OFFICE BOSTON, MA
CONTRACTOR/CONSTRUCTION MANAGER	OFFICE

DRAWN	DATE	NO.	DATE	BY	DESCRIPTION OF REVISION
ZLF	1-25-07	1	5-24-07	ZLF	REVISED PER ARCHITECT COMMENTS
CHECKED	DATE	2	6-27-07	ZLF	AS BUILT
		3			
APPROVED FOR DIST	SCALE	4			
5-24-07	FULL	5			
		6			

PHASE-AREA	JOB NUMBER
	272
	SHEET NO.
	D6